

# Material properties and applications plastic membranes

**Genap**

| Material<br>Property           | Aquatex EX®     | Aquatex® PVC | Aquatex® Extreme | Aquatex® EPDM             | Aquatex® PE     |
|--------------------------------|-----------------|--------------|------------------|---------------------------|-----------------|
| Material                       | fPO             | PVC-P        | PVC-P            | EPDM<br>(Rubber membrane) | fPO             |
| Thickness [mm]                 | 0.6 - 1.0       | 1.0          | 0.70             | 0.75 - 1.02               | 1.0             |
| Weight [g/m <sup>2</sup> ]     | 550<br>(0.6 mm) | 1300         | 900              | 900<br>(0.75 mm)          | 950<br>(1.0 mm) |
| Plasticizer                    | –               | ✓            | ✓                | –                         | –               |
| Temperature resistance         |                 |              |                  |                           |                 |
| • Heat                         | +++             | +            | ++               | ++++                      | +++             |
| • Cold                         | +++             | +/-          | +/-              | +++                       | +++             |
| UV resistance                  | +++             | +            | ++               | +++                       | +++             |
| Chemical resistance            | +++             | +            | ++               | +++                       | +++             |
| Certificates                   |                 |              |                  |                           |                 |
| • Kiwa (BRL-K519)              | –               | ✓            | –                | –                         | –               |
| • HA (Kiwa / drinking water)   | –               | ✓            | –                | –                         | –               |
| • NSF/ANSI 61 (drinking water) | –               | –            | –                | –                         | –               |
| Repair options                 |                 |              |                  |                           |                 |
| • Welding (blow dryer)         | ✓               | ✓            | ✓                | –                         | ✓               |
| • Adhesives                    | –               | ✓            | ✓                | ✓                         | –               |
| • Repair tape                  | ✓               | ✓            | ✓                | ✓<br>(vulcanizing tape)   | ✓               |
| Pond lining                    | ✓               | ✓            | –                | ✓                         | ✓               |
| Tank lining                    | ✓               | ✓            | ✓                | ✓                         | ✓               |
| Rainwater                      | ✓               | ✓            | ✓                | ✓                         | ✓               |
| Recirculation water            | ✓               | –            | ✓                | ✓                         | ✓               |
| Chlorinated water              | –               | ≤1 ppm       | ≤3 ppm           | ≤1 ppm                    | ≤1 ppm          |